

## KBTAU900XE

Decorative wall hood, Universale, Stainless steel, 90 cm



### TYPE

Product family: Hood • Hood Type: Decorative wall hood • Hood width: 90 cm • Extraction: Extraction • Electronic control: Yes •

EAN code: 8017709287849

### AESTHETICS

Colour: Stainless steel • Finishing: Satin • Aesthetics: Universale • Design: T flat • Material: Stainless steel • Type of steel: Brushed

### PROGRAMS / FUNCTIONS

No. of speeds: 3 • Intensive speed: Yes • 24h air filter function: Yes • Time-setting options: Automatic switch-off

### CONTROLS

Control setting: Electronic buttons

### TECHNICAL FEATURES

No. of lights: 2 • Light type: LED • Light Power: 1,3 W • Free outlet maximum capacity: 730 m<sup>3</sup>/h • Motor power: 230 W • No. of filters: 3 • Anti-grease filters: Aluminium • Filter replacement indicator: Yes • Minimum distance from GAS hob: 650 mm • Vent outlet: 150 mm • Minimum distance from ELECTRIC hob: 500 mm • Non return valve: Yes

## PERFORMANCE / ENERGY LABEL

Annual Efficiency Consumption (AEChood): 54 kWh/a

## ELECTRICAL CONNECTION

Voltage: 220-240 V • Frequency (Hz): 50-60 Hz • Power supply cable length: 1500 mm

## SPEED 1

Extraction rate IEC 61591: 265 m<sup>3</sup>/h • Noise level IEC 60704-2-13: 47 dB(A) • Power: 138 W

## SPEED 2

Extraction rate IEC 61591: 360 m<sup>3</sup>/h • Noise level IEC 60704-2-13: 55 dB(A) • Power: 160 W

## SPEED 3

Extraction rate IEC 61591: 480 m<sup>3</sup>/h • Noise level IEC 60704-2-13: 62 dB(A) • Power: 184 W

## INTENSIVE SPEED

Extraction rate (IEC 61591): 713 m<sup>3</sup>/h • Noise level IEC 60704-2-13: 72 dB(A) • Power: 233 W

## LOGISTIC INFORMATION

Dimensions of the product (mm): 520x900x450 • Width: 900 mm • Depth (mm): 450 mm • Product Height (mm): 520 mm

## ACCESSORIES INCLUDED

Tube reduction: Yes

