

## SFPA9305SPX

Oven, Classic, 90cm, Combi Steam, Stainless steel, Pyrolitic



### TYPE

Product Family: Oven • Category: 90cm • Cooking Method: Combi Steam • Steam technology: Smart steam 40 • Power supply: Electric • EAN code: 8017709290917 • Cleaning system: Pyrolitic

### AESTHETICS

Colour: Stainless steel • Finishing: Fingerproof • Aesthetic: Classic • Material: Stainless steel • Type of steel: Brushed • Glass Type: Eclipse • Door: With 2 horizontal strips • Handle: Classic • Handle Colour: Inox

### PROGRAMS / FUNCTIONS

No. of cooking functions: 15 • Automatic programmes: 53 • Traditional cooking functions: Static, Fan assisted, Circulaire, Turbo, Eco, Large grill, Fan grill (large), Base, Circulaire + bottom, Pizza • Steam assisted levels: 3 • Customisable recipes: 20 • Cooking functions with pulsed steam: Fan assisted, Circulaire, Circulaire + Bottom, Turbo, Fan Grill • Other Steam functions: Tank cleaning, Water outlet, Water input, Descaling • Other functions: Defrost by time, Defrost by weight, Proving, Keep warm, Plate rack/warmer, Sabbath • Cleaning functions: Pirolisis

## CONTROLS

Display: Yes • Control setting: Advanced full touch & knobs • No. of controls: 2 • Control knobs: Classic • Controls colour: Steel effect

## OPTIONS

Time-setting options: Delay start and automatic end cooking • Minute minder: Yes • Timer: 3 • Showroom demo option: Yes • Touch guide: Yes • Rapid pre-heating: Yes • Demo-tutorial mode: Yes • Instant GO: Yes • Smart cooking: Yes • Knobs mode: Yes • Controls Lock / Child Safety: Yes • Multi-step cooking: Sì, fino a una sequenza di 3 cotture • Cooking with probe thermometer: Yes • Other options: Keep warm, Eco light, Language setting, Digital clock display, Tones, Tones volume, Brightness • Chronology: Yes, the last 10 functions utilized

## TECHNICAL FEATURES

Display name: VivoScreen max • Display technology: TFT • Temperature control: Electronic • Minimum Temperature: 30 °C • Maximum temperature: 280 °C • Cavity material: Ever clean Enamel • No. of shelves: 5 • Shelves type: Metal racks • N. of fans: 3 • No. of lights: 2 • User-replaceable light: Yes • Light type: Halogen • Light Power: 40 W • Light when door is opened: Yes • Door opening type: Standard opening • Door: Cool • Removable door: Yes • Total no. of door glasses: 4 • Soft Close hinges: Yes • Safety Thermostat: Yes • Cooling system: Tangential • Door Lock During Pyrolysis: Yes • Water loading: Fill&Hide, automatic • Tank capacity: 160 ml • Heating suspended when door is opened: Yes • Lower heating element power: 1700 W • Upper heating element - Power: 1200 W • Grill element - power: 1700 W • Large grill - Power: 2900 W • Circular heating element - Power: 1850 W • Circular heating element 2 - Power: 1850 W

## PERFORMANCE / ENERGY LABEL

Energy efficiency class: A+ • Net volume of the cavity: 115 l • Energy consumption in conventional mode: 2.84 MJ • Energy consumption per cycle in conventional mode: 0.79 kWh • Energy consumption in forced air convection: 3.42 MJ • Energy consumption per cycle in fan-forced convection: 0.95 kWh

## ELECTRICAL CONNECTION

Voltage: 220-240 V • Nominal power: 4000 W • Frequency (Hz): 50/60 Hz • Power supply cable length: 115 cm

## LOGISTIC INFORMATION

Dimensions of the product (mm): 595x896x571 • Net weight (kg): 67.400 kg

## ACCESSORIES INCLUDED

Rack with back and side stop: 1 Enamelled deep tray (40mm): 2 Insert grid: 1 Temperature probe: Yes, single point Telescopic Guide rails, total Extraction: 1

OPTIONAL

PPRg; Pizza stone

